



FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

Security & Protection

ZKS-T1



- ✦ It adopts advanced North Korean algorithm which is a most mature and stable biometric fingerprint algorithm nowadays
- ✦ Fingerprint,password,card,fingerprint+password and fingerprint+card for high security and precision
- ✦ RS232,RS485 communication
- ✦ Options: embedded Proximity or HID or Mifare card reader, backup battery
- ✦ Menu language: English, French, Spanish, Czech, Indonesian, Portuguese, Turkish and so on
- ✦ 3,000 fingerprint templates, everybody can register 3 fingers, even can register 10 fingers



FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

ZKS-T1

Security & Protection


Standalone

For Demo only



Door Access Control

For Demo only





FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

Security & Protection

ZKS-T1

T1 is an innovative stand-alone fingerprint recorder that can be used in both Time Attendance and Access Control applications, it adopts the North Korean industrialized design with refined fashion, integrates ZKS attendance management software, low price with good performance, designed specially in the purpose of popularizing the fingerprint products. It could store 3,000 fingerprint templates and 80,000 transaction records. It will bring you much boon because of its excellent function and competitive price.

Parameters

Item	Description
User capacity	3, 000
Transaction Storage:	80, 000
Period of data:	Keep data for 3 years when no current
Collecting rate	Port rate(9600BPS, 19200BPS, 38400BPS)
Verification mode:	1: N, 1:1
FAR	<0. 0001%
FRR	<0. 01%
Response time	<0. 7 second
Communication	RS232 or RS485
Alarm clock	Embedded alarm clock
External functions	Connect Electronic lock(Access Control), Electronic bell
The capacity of connecting net	31 units (RS485 mode)
Distance	1200m (RS485)
Show	Time, ID number, Name
Language	English, French, Spanish, Czech, Indonesian, Portuguese and Turkish etc.
Working mode	Time & attendance, standalone, can working persistently
Time & Attendance mode	Fingerprint, password, card, fingerprint + password, fingerprint + card
Save function	Turn off device automatically for saving
Size	190*55*138mm
Power supply	DC9V, 1A (AC 100V to 240 V, 50 to 60 Hz)
Warranty of period	24 months
Temperature and humidity	0 - 45, 20%-80%
Options	Proximity or HID or Mifare card reader, backup battery
Applications	Factory/office/bank/hotel/school etc.



Send Message 15 800 6000 15

If you using a mobile phone or dialing from
Dubai, Macau, Istanbul or areas outside China,
please call: (86-21) 6767 9389

www.zksgroup.com

www.zksgroup.com.br

www.zksgroup.es

www.zksgroup.co.uk

www.zksgroup.in

www.zksgroup.com.ar

www.zksgroup.fr

www.zksgroup.com.au

www.zksgroup.com.mx

www.zksgroup.ae

www.zksgroup.de